



Encapsulation (patented technology)
645 mm; length of actual media in each filter



Standards

EN140: 1998 Mask Body
EN143: 2000+A1: 2006 P3 RD
EN166 Class 2.F. K.N. (Anti-Fog & Anti-Scratch)
CE 0194

Efficiency

P3 >99,95% for 0,3 μ particulate

Shelf Live

5 years (mask & filters) See storage conditions on Instructions for Use.
Filters are re-usable and changeable.

Material

- Mask: Medical grade TPE Conforms to ISO 10993-10: 2010 for irritations. Mask body latex and silicone free, odour free. Valve Body in Nylon, Inhalation/Exhalation diaphragm in Silicone. 4 point adjustable elasticated head and neck strap with comfort pad in TPE.
- Filters: Mechanical type multi-layer HESPA Synthetic media with TPE flexible overmolded / encapsulated.
- Goggle: Polycarbonate with flow coating overmolded into soft TPE, permanently attached to the mask body by stainless steel clips.

Production

United Kingdom
100% of filters NaCl Tested

	Code	Description	Quantity
	ENESPR4075(S/M) ENESPR4065 (M/L)	P3 Elipse Integra complete with P3 filters	5 pcs. per box
	ENESPR3165	Elipse P3 replacement filters	10 sets of 2 pcs. per box
	ENESPM0075	Integra case	5 pcs. per box
	ENESPM5205	Peel off visor x 10	10 sets per box
	ENESPM4145	Portacount Face Fit Kit adaptor	50 sets of 10 pcs. per box

Applications - dust, mist and fumes

Grinding

Metal Fumes and Dust



Construction

Silica Dust, Abestos, Concrete Dust, Stone Dust, Aggregate Dust, Wood Dust, Cement Dust, Mold



Mining

Coal Dust, Silica Dust



Manufacturing

Glass Fibres, Composite Fibres, Lead Fumes



Food

Poultry, Powders (Dairy), Spices, Grain Dust



Pharmaceutical

Powders, Viruses



www.enerleds.com.mx
juliovazquez@enerleds.com.mx
871 734 1601
Calz. las Palmas #273, Col. Santa María,
Torreón Coah., CP: 27020